

Dangerous Radiation Lingers for Decades

By

David J. Craig

|

Fall 2019



Emlyn Hughes, left, and research assistant Gemma Sahwell '19BC collect soil samples on the Marshall Islands. Photo: Carolyn Cole © 2019 Los Angeles Times.

More than half a century after the US conducted nuclear-bomb tests on the Marshall Islands, radiation levels there remain dangerously high, according to new

research led by physics professors [Emlyn Hughes '87GSAS](#) and [Malvin Ruderman '46CC](#).

Their team recently traveled to the Marshall Islands, a nation of twenty-nine coral atolls in the Pacific Ocean, to determine if any parts of the territory that have long been considered too radioactive for human habitation could be repopulated. The scientists found that some restricted islands are now safe for people, but that others should remain off-limits. They also determined that fruits growing on several uninhabited islands that the Marshallese often visit to collect food are unsafe to eat.

Read more from [David J. Craig](#)



[Guide to school abbreviations](#)

TAKE THE COLUMBIA ALL-ALUMNI SURVEY

Complete the survey
by June 5.

50 randomly selected
survey participants
will receive a
Columbia sweatshirt!

Shape the alumni
experience.

alumni.columbia.edu/survey2026

 COLUMBIA UNIVERSITY
IN THE CITY OF NEW YORK

All categories >

Read more from **David J. Craig**